

ACCESSIBILITY REPORT

Greater Wellington Regional Council

<https://www.gw.govt.nz/>

Scan completed Jun 26, 2026 — 107 pages scanned

Executive Summary

This is the baseline. Run regular scans to track progress over time.

62

Poor

Accessibility Score

268

Issues Found

5000

Audits Passed

107

Pages Scanned

* 217 audits require manual review and are not included in the stats in this report.

Issues Found 25 audits failed — 268 occurrences across all pages

AUDIT	IMPACT	PAGES AFFECTED
ARIA roles used must conform to valid values	Critical	101 pages
Images must have alternative text	Critical	3 pages
ARIA attributes must conform to valid names	Critical	2 pages
Buttons must have discernible text	Critical	1 page
Select element must have an accessible name	Critical	1 page
Certain ARIA roles must be contained by particular parents	Critical	1 page
Links must be distinguishable without relying on color	Serious	89 pages
Frames must have an accessible name	Serious	8 pages
Interactive elements must have a visible focus indicator	Serious	5 pages

Links must have discernible text	Serious	3 pages
Interactive controls must not be nested	Serious	2 pages
Elements must meet minimum color contrast ratio thresholds	Serious	2 pages
Form elements should have a visible label	Serious	2 pages
[role="img"] elements must have alternative text	Serious	1 page
ARIA dialog and alertdialog nodes should have an accessible name	Serious	1 page
ARIA input fields must have an accessible name	Serious	1 page
<html> element must have a lang attribute	Serious	1 page
Heading levels should only increase by one	Moderate	29 pages
Zooming and scaling must not be disabled	Moderate	2 pages
Landmarks should have a unique role or role/label/title (i.e. accessible name) combination	Moderate	2 pages
All page content should be contained by landmarks	Moderate	2 pages
Main landmark should not be contained in another landmark	Moderate	1 page
Document should not have more than one main landmark	Moderate	1 page
Headings should not be empty	Minor	6 pages
Alternative text of images should not be repeated as text	Minor	1 page

Passed Audits 65 audits passed — 5000 passes across all pages

 [role="img"] elements must have alternative text

- ✓ `<dl>` elements must only directly contain properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements
- ✓ `<dt>` and `<dd>` elements must be contained by a `<dl>`
- ✓ `<html>` element must have a lang attribute
- ✓ `<html>` element must have a valid value for the lang attribute
- ✓ `<li>` elements must be contained in a `<ul>` or `<ol>`
- ✓ `<ul>` and `<ol>` must only directly contain `<li>`, `<script>` or `<template>` elements
- ✓ All page content should be contained by landmarks
- ✓ Alternative text of images should not be repeated as text
- ✓ ARIA attributes must be used as specified for the element's role
- ✓ ARIA attributes must conform to valid names
- ✓ ARIA attributes must conform to valid values
- ✓ ARIA commands must have an accessible name
- ✓ ARIA hidden element must not be focusable or contain focusable elements
- ✓ ARIA input fields must have an accessible name
- ✓ ARIA role should be appropriate for the element
- ✓ ARIA roles used must conform to valid values
- ✓ ARIA tab nodes must have an accessible name
- ✓ `aria-hidden="true"` must not be present on the document body
- ✓ `autocomplete` attribute must be used correctly

 Banner landmark should not be contained in another landmark
 Buttons must have discernible text
 Certain ARIA roles must be contained by particular parents
 Certain ARIA roles must contain particular children
 Contentinfo landmark should not be contained in another landmark
 Deprecated ARIA roles must not be used
 Document should have one main landmark
 Document should not have more than one banner landmark
 Document should not have more than one contentinfo landmark
 Document should not have more than one main landmark
 Documents must have <title> element to aid in navigation
 Elements marked as presentational should be consistently ignored
 Elements must meet minimum color contrast ratio thresholds
 Elements must only use permitted ARIA attributes
 Elements must only use supported ARIA attributes
 Elements should not have tabindex greater than zero
 Form elements must have labels
 Form elements should have a visible label
 Form field must not have multiple label elements
 Frames must have a unique title attribute

- ✓ Frames must have an accessible name
- ✓ Heading levels should only increase by one
- ✓ Headings should not be empty
- ✓ IDs used in ARIA and labels must be unique
- ✓ Images must have alternative text
- ✓ Inline text spacing must be adjustable with custom stylesheets
- ✓ Input buttons must have discernible text
- ✓ Interactive controls must not be nested
- ✓ Interactive elements must have a visible focus indicator
- ✓ Landmarks should have a unique role or role/label/title (i.e. accessible name) combination
- ✓ lang attribute must have a valid value
- ✓ Links must be distinguishable without relying on color
- ✓ Links must have discernible text
- ✓ Main landmark should not be contained in another landmark
- ✓ Page must have means to bypass repeated blocks
- ✓ Page should contain a level-one heading
- ✓ Required ARIA attributes must be provided
- ✓ Select element must have an accessible name
- ✓ Table cell headers attributes must refer to other <th> elements in the same table
- ✓ Table header text should not be empty

- ✓ Table headers in a data table must refer to data cells
- ✓ Tables should not have the same summary and caption
- ✓ The skip-link target should exist and be focusable
- ✓ Users should be able to zoom and scale the text up to 500%
- ✓ Zooming and scaling must not be disabled

ABOUT THIS REPORT

This scan evaluated 5268 accessibility audits across all pages, based on WCAG 2.1 and 2.2 success criteria. Some audits were not applicable to the site and are excluded from the results. Automated scans do not cover all WCAG guidelines — for a complete assessment, supplement this report with manual testing.

About this free report

A11y Pulse produced this report for our Industry Benchmark series. Want to track your site's accessibility continuously? Every plan starts with a month free, no credit card needed. Questions? Give us a shout at info@a11ypulse.com.

[Read the full benchmark](#) • [Start your free month](#)